


**Evenly**  
AI Learning Platform

# Interactive Flat Panel Display





# AI-WHITEBOARD



AI Enabled Teaching



AI Interpretation & Assessments



AI Generated Flowsheets



AI Integrated Content



AI Animated Videos



AI Fun Zone



Political Science



History



Business Studies



Science



Math






4K ANTI-GLARE  
UHD DISPLAY



Android 14



Octa Core



8GB + 128 GB



40 Touch Points



In-build Camera



In-build Microphone

## Device Management Software




### Centralized command control & access

- ◇ Visualise & Supervise all devices
- ◇ Devices access & control in real-time
- ◇ Schedule maintenance / updates
- ◇ Centralized shut down / restart / sleep / wake up
- ◇ Send messages, trigger alerts and Generate usage reports to all or selected devices
- ◇ Source selection control management : HDMI / VGA / PC / OPS / Brightness / Contrast / Volume

# The Slider

Pin Board

Green Board




Available for 65" / 75" / 86" IFP's



Colour Options Available as per choice

Sliding white Boards



IFPD



Green Board/ White Board / Both.



Sliding Door Options Available - Single / Dual.



## Optional Accessories



### OPS PC

Fill your display's OPS slot with an on-board computer that brings you all the power of a desktop computer right to your display. As your organization continues to grow and demands more power, the OPS is easily swappable for a more powerful version.



Windows 10/11



8 GB RAM



1 TB HDD/SSD



USB Type-C Connection



Built-in WiFi



Powered by Intel Processor

### IFPD Floor Stand

Support your various workspaces with reliable products that are compatible with IFP displays. Mount your panel to a wall or choose a more mobile mounting solution that best fit for your needs.



### Wireless Presentation System **INTERACT WP40**

4K BYOD & BYOM

Participants can not only share their personal screens, but also use their laptops to easily access camera and microphone from large screen for starting a video conference.

## Application Areas



Language Lab



Corporate Office



Virtual Classroom



Distance Learning



Board / Conference Room



Computer Lab



**PRODUCT SPECIFICATIONS**

Item	Model	GILITA65T	GILITA75T	GILITA86T	GILITA98T	GI110
Panel	LCD Size Diagonal	65"	75"	86"	98"	110"
	Panel Resolution	4K (3840x2160@60Hz)	4K (3840x2160@60Hz)	4K (3840x2160@60Hz)	4K (3840x2160@60Hz)	4K (3840x2160@60Hz)
	Brightness	450cd/m <sup>2</sup> (typ.)	450cd/m <sup>2</sup> (typ.)	450cd/m <sup>2</sup> (typ.)	500cd/m <sup>2</sup> (typ.)	500cd/m <sup>2</sup> (typ.)
	Contrast Ratio (typ)	1200:1 (typ.)	1200:1 (typ.)	1200:1 (typ.)	1200:1 (typ.)	1200:1 (typ.)
	Response Time(ms)	4ms (typ.)	4ms (typ.)	6ms (typ.)	6ms (typ.)	6ms (typ.)
	View angle	178°(H) / 178°(V)	178°(H) / 178°(V)	178°(H) / 178°(V)	178°(H) / 178°(V)	178°(H) / 178°(V)
	Life Time	1,00,000 hrs (min.)	1,00,000 hrs (min.)	1,00,000 hrs (min.)	1,00,000 hrs (min.)	1,00,000 hrs (min.)
Touch System	Bonding technology	Tempered glass and zero bonding touch display				
	Touch technology	Advanced Infra-red Touch frame				
	Tempered Glass	Toughened Glass 4mm				
	Number of touch points	Up to 40 Touch Points on Android & Windows				
Mother board	Chipset	RK3576	RK3576	RK3576	RK3576	RK3576
	CPU	Octa Core (A72 x4 + A53 x4)	Octa Core (A72 x4 + A53 x4)	Octa Core (A72 x4 + A53 x4)	Octa Core (A72 x4 + A53 x4)	Octa Core (A72 x4 + A53 x4)
	GPU	G52 MC3	G52 MC3	G52 MC3	G52 MC3	G52 MC3
	RAM	8GB	8GB	8GB	8GB	8GB
	ROM	128GB	128GB	128GB	128GB	128GB
	Expandable Storage	Up to 512 GB	Up to 512 GB	Up to 512 GB	Up to 512 GB	Up to 512 GB
System Compatibility	OS	Android 14	Android14	Android14	Android 14	Android 14
	Compatible System	Windows, Linux, MAC OS, Android				
Software	Including Softwares	G-share (Screen Casting), Google supported apps				
	Supported Softwares	AI-Shikshak (Whiteboard Software), Gee-Shiksha (K-12 Content), Display management software				
Wi-Fi Standard	Operating Frequency	Dual band 2.4GHz/5GHz				
Audio Output	Standard	Speaker : 8Ω /20W*2				
	USB 2.0	*1	*1	*1	*1	*1
Ports	USB 3.0	*2	*2	*2	*2	*2
	HDMI IN	*3	*3	*3	*3	*3
	Touch USB	*3	*3	*3	*3	*3
	Type-C IN/OUT	*1	*1	*1	*1	*1
	AUDIO IN	*1	*1	*1	*1	*1
	LAN IN/OUT	*1	*1	*1	*1	*1
	RS232	*1	*1	*1	*1	*1
	MIC IN	*1	*1	*1	*1	*1
	HDMI OUT	*1	*1	*1	*1	*1
	AUDIO OUT	*1	*1	*1	*1	*1
	COAX OUT	*1	*1	*1	*1	*1
Power	DP	*1	*1	*1	*1	*1
	Voltage	100 V ~ 240 V/AC, 50/60 Hz				
Environment	Max Power Consumption	≤220W (Standby ≤0.5W)	≤300W (Standby ≤0.5W)	≤380W (Standby ≤0.5W)	≤450W (Standby ≤0.5W)	≤660W (Standby ≤0.5W)
	Working Temperature	0°C ~ 50°C				
	Storage Temperature	Minus 10°C ~ 60°C				
	Working Humidity	20% ~ 80% RH Non-Condensing				
	Storage Humidity	10% ~ 60% RH Non-Condensing				
Structure	Product Size (mm) (W x H x D)	1482 x 897 x 88 mm	1716 x 1032 x 88 mm	1968 x 1170 x 88 mm	2220x1300x100 mm	2499x1474x100mm
	Package Size (mm) (W x H x D)	1640 x185 x1010mm	1860 x185 x1125mm	2095 x185 x1265mm	2360x1440x230mm	2606x1593x200mm
	N.W	38Kg±1.5Kg	52.5Kg±1.5Kg	65.5Kg±1.5Kg	85Kg±1.5Kg	110Kg±1.5Kg
	G.W	46Kg±1.5Kg	61.5 Kg±1.5Kg	77Kg±1.5Kg	98Kg±1.5Kg	144Kg±1.5Kg
	VESA	4-M6 Screw hole 600mm*400mm	4-M6 Screw hole 800mm*400mm	4-M8 Screw hole 800*600mm	4-M8 Screw hole 800*600mm	4-M8 Screw hole 800*600mm
Accessories	Remote Control	*1				
	Power Cord(3M)	*1				
	USB Cable(3M)USB (A-B)	*1				
	HDMI Cable(3M)HDMI	*1				
	Touch Pen	*2				
	Wall Mount	*1				

**Disclaimer-** All product images shown and specifications / features mentioned in this brochure are for reference only, actual product and specifications may change without any prior notice due to consistent product development and upgradation.

Certifications






**Evenly**  
AI Learning Platform



GROWTH



TEAM



**Evenly**  
AI Learning Platform

+91 9599218488, +91 9773743007

upgradetofuture@evenlylearning.com

www.evenlylearning.com

Innov-8 OKHLA, 3rd Floor, 211, OKHLA INDL.  
ESTATE PHASE -III, NEW DELHI - 110020

